# Shurtape Technologies, LLC PO BOX 1530 Hickory, NC 28603-1530 USA Phone 1.888.442.TAPE (8273) Fax 800.335.7651 shurtape.com ISO 9001 CERTIFIED QUALITY SYSTEM

# TYPICAL APPLICATIONS

HIGH PERFORMANCE GRADE

**MODERATE TEMPERATURE MASKING TAPE** 

- Designed for today's high tech transportation industry (auto, coaches, buses and marine)
- Metal preparation, painting, coating and gel coat masking
- Removes cleanly with no adhesive residue in application temperatures to 200 F
- Strong backing to hold up to the most demanding applications

### ADVANTAGES AND BENEFITS

- No adhesive residue
- Engineered holding power
- Strong backing for tear and sliver resistance
- Excellent adhesion to metals, rubber, plastics and fiberglass
- Conformability for rounding curves and contours
- Clean, flat edges for sharp paint lines
- $\mbox{\bullet}$  Solvent and moisture resistant to minimize bleed-through

## CONSTRUCTION

Overall Grade/Function: High Performance Backing: Smooth crepe paper Adhesive: Rubber-based

#### COLOR(S)

Natural (NAT)

#### STANDARD WIDTH(S)

#### STANDARD LENGTH(S)

18 mm 24 mm 36 mm 48 mm 55 m Contact your Shurtape sales representative for other available sizes.

#### PHYSICAL PROPERTIES

	STANDARD	METRIC
Tensile Strength	31 lbs/in width	54.2 N/10 mm
Adhesion to Stainless Steel	37 oz/in width	4.05 N/10 mm
Thickness	6.9 mils	0.18 mm
Elongation	10%	10%
Service Temperature Range	200 F	93 C

Physical and performance characteristics shown above are obtained from tests recommended by PSTC, ASTM, government agencies or Shurtape Technologies, LLC, Quality Assurance and Technical Service Departments and do not represent a guarantee of product performance. Individual rolls may vary slightly from these averages. The user should determine whether the product is fit for a particular purpose and is suitable for the user's method of application before use.

#### APPLICABLE STANDARDS

ASTM D 6123/D 6123M-97 (2012), Type I

#### **STORAGE & USAGE CONDITIONS**

Tape should be stored in its original packaging in a cool, dry area away from direct sunlight and should be used within 12 months of date of shipment. Surfaces to which tape is applied should be clean, dry and free of grease, oil or other contaminants.

\*Shurtape® is a registered trademark of Shurtape Technologies, LLC Form# TDS-CP-450-08/20/2014





