

**Zip-Chem Products**  
**Calla 804**  
**Material Safety Data Sheet**

**Section: 1 CHEMICAL PRODUCT AND COMPANY INFORMATION**

**Product Name:** Calla 804 **For Additional Product Information:** 1 (800) 648-2661

**Chemical Family:** Aqueous Cleaner

**Manufacturer:** Zip-Chem Products **In Emergency:** 1 (800) 424-9300  
 400 Jarvis Drive  
 Morgan Hill, CA 95037

**Section: 2 COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS**

FOR EXPOSURE LIMITS SEE SECTION 8  
 FOR OTHER TOXICOLOGICAL INFORMATION SEE SECTION 11

HAZARDOUS INGREDIENTS

Descriptive Name	CAS Number	Percentage Range	Hazard Type per CFR 1910.1200	Exposure Limits	LD <sub>50</sub> (Oral-Rat)	LC <sub>50</sub>	NTP, IARC, Or OSHA Carcinogen
Fatty Acid Methyl Esters	67784-80-9	30%	Not Hazardous	None	>50 ml/kg	>1000 mg/L	No
Propanol, (2-Methoxy-Methylethoxy)	34590-94-8	10%	Not Hazardous	OSHA PEL: 100 ppm ACGIH TLV: 100 ppm	5200 mg/kg	Not Determined	No
Glycerin	68603-42-9	0.80%	Not Hazardous	OSHA PEL: 15 mg/m <sup>3</sup> ACGIH TLV: 10 mg/m <sup>3</sup>	Not Determined	Not Determined	No
Diethanolamine	111-42-2	0.70%	Hazardous: Corrosive	Not Given	3300 mg/kg	Not Determined	No

**Section: 3 HAZARDS IDENTIFICATION**

PHYSICAL HAZARDS:

ACUTE HEALTH EFFECTS: Breathing high concentrations of vapors may cause irritation of the respiratory tract.

CHRONIC HEALTH EFFECTS: Prolonged exposure to extremely high concentrations of the vapors may cause irritation to throat and nose.

IATA CLASSIFICATION:

HMIS RATINGS:

Health: 1  
 Flammability: 0  
 Reactivity: 0  
 Protective Equipment: E

WHMIS CLASS AND DIVISION: None

TDG CLASS AND DIVISION: None

**Zip-Chem Products**  
**Calla 804**  
**Material Safety Data Sheet**

**Section: 4 FIRST AID MEASURES**

**EYES:** May be an eye irritant. Flush immediately with water for 15 minutes and take to physician.

**SKIN:** Wash affected area with water.

**INGESTION:** Do not induce vomiting so as to avoid aspiration of material into the lungs. If conscious, drink large amounts of water and contact a physician.

**INHALATION:** Remove from exposure and restore breathing. Keep person calm. If not breathing, give artificial respiration and call emergency response. If breathing is difficult, give oxygen and call emergency response.

**Section: 5 FIRE AND EXPLOSION HAZARDS**

**FLAMMABILITY DATA:**

FLAMMABLE/COMBUSTIBLE/PYROPHORIC: Not flammable

FLASH POINT AND METHOD: None PMCC

AUTOIGNITION TEMPERATURE: Not established

**FLAMMABLE LIMITS AT NORMAL TEMPERATURE AND PRESSURE (PERCENT VOLUME IN AIR):**

LEL: N/A UEL: N/A

**EXPLOSION DATA:**

SENSITIVITY TO MECHANICAL IMPACT: Not Sensitive

SENSITIVITY TO STATIC DISCHARGE: Not Sensitive

**EXTINGUISHING MEDIA:** Foam, Alcohol Foam, CO2, Dry Chemical, Water Fog

**FIRE FIGHTING TECHNIQUES AND COMMENTS:** Use standard firefighting techniques to fight fires involving this material. The material itself is not flammable.

**HAZARDOUS COMBUSTION PRODUCTS:** Carbon dioxide, carbon monoxide

**Section: 6 ACCIDENTAL SPILL/RELEASE INFORMATION**

FOR ALL TRANSPORTATION ACCIDENTS CALL CHEMTREC AT 1-800-424-9300.

**REPORTABLE QUANTITY:** Not Applicable

**SPILL MITIGATION PROCEDURES:**

Stop source of spill as soon as possible and notify appropriate personnel. Burm around spill area to prevent spill from spreading. Ventilate area. Do not flush into sewers.

**AIR RELEASE:**

Vapors may be suppressed by use of water fog or spray. Contain all liquid for treatment or neutralization.

**WATER RELEASE:**

Material is dispersible in water. Transfer to secure containers. Where necessary, collect using absorbent media.

**LAND SPILL:**

Create a trench to contain materials. Spilled materials may be contained using sand, clay, earth or a commercial absorbent. Do not place materials back in their original container.

**SPILL RESIDUES:**

**Zip-Chem Products**  
**Calla 804**  
**Material Safety Data Sheet**

Dispose of per guidelines under section 13, DISPOSAL CONSIDERATIONS.

**PERSONNEL PROTECTION FOR EMERGENCY SPILL AND FIRE FIGHTING SITUATIONS:**

Additional protective clothing must be worn to prevent personal contact with this material. Those items include but are not limited to gloves, apron, and safety glasses.

<b>Section: 7 HANDLING AND STORAGE</b>
--

DO NOT TAKE INTERNALLY. AVOID CONTACT WITH EYES AND CLOTHING. UPON CONTACT WITH SKIN OR EYES WASH OFF WITH WATER.

**STORAGE CONDITIONS:**

Store in a cool, dry, well-ventilated place.

STORE AT TEMPERATURES BELOW 120°F. DO NOT STORE OR USE NEAR HEAT, SPARKS, OR FLAMES.

**PRODUCT STABILITY AND COMPATIBILITY:**

SHELF LIFE LIMITATIONS: 36 months from date of shipment (DOS).

INCOMPATIBLE MATERIALS FOR STORAGE OR TRANSPORT: Strong oxidizing agents

INCOMPATIBLE MATERIALS FOR PACKAGING: N/A

<b>Section: 8 PREVENTIVE MEASURES</b>
---------------------------------------

**PERSONAL PROTECTION FOR ROUTINE USE OF THIS PRODUCT:**

RESPIRATORY PROTECTION: Breathing apparatus is not required for use of this product.

However, if breathing apparatus is necessary use mask for organic vapors. Refer to NIOSH publication No. 89-105 and NIOSH No. 87-116. See OSHA requirement under 29 CFR 1910.1025 and 29 CFR 1910.134.

SKIN AND EYE PROTECTIVE EQUIPMENT: Impervious gloves are recommended to prevent skin contact. Safety glasses to prevent eye contact are recommended.

**ENGINEERING CONTROLS**

VENTILATION: Local or mechanical to keep Section II ingredients below their exposure limits.

**EQUIPMENT SPECIFICATIONS (WHEN APPLICABLE):**

RESPIRATOR TYPE: None required

PROTECTIVE CLOTHING TYPE: (This includes: gloves, boots, apron, protective suit):

Impervious gloves, safety glasses

**WASTE DISPOSAL:**

Spilled material collected in absorbent material should be transferred to steel disposal or recovery drums. If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste under Subpart D. If this product becomes a waste, it should be disposed of in accordance with local, state and federal regulations by incineration.

*Zip-Chem Products*  
**Calla 804**  
**Material Safety Data Sheet**

<b>Section: 9 PHYSICAL AND CHEMICAL PROPERTIES</b>
--

PHYSICAL STATE(gas, liquid, solid): Liquid  
APPEARANCE: Slight orange color  
ODOR: Slight odor  
FREEZING POINT: -10° C  
BOILING RANGE: Not Determined  
DECOMPOSITION TEMPERATURE: Not Determined  
SPECIFIC GRAVITY (H2O=1): 0.98  
BULK DENSITY: 8.2 lbs/gal @ 70 Deg F  
pH @ 25 Deg C: 8.7-9.2  
VAPOR PRESSURE @ 25 Deg C: <5 mm of Hg  
SOLUBILITY IN WATER: Soluble  
VOLATILES, PERCENT BY WEIGHT: 80%  
EVAPORATION RATE: Slower than Ether  
VAPOR DENSITY: Heavier than air  
MOLECULAR WEIGHT: Not applicable/mixture  
COEFFICIENT OF OIL/WATER DISTRIBUTION: Not Determined  
VOLATILE ORGANIC COMPOUND (VOC) G/L: 108 grams/Liter

<b>Section: 10 STABILITY AND REACTIVITY DATA</b>
--

CONDITIONS UNDER WHICH THIS PRODUCT MAY BE UNSTABLE:  
TEMPERATURES ABOVE: 120 deg F (49 deg C)  
MECHANICAL SHOCK OR IMPACT: No  
ELECTRICAL (STATIC) DISCHARGE: No  
HAZARDOUS POLYMERIZATION: Will Not Occur  
INCOMPATIBLE MATERIALS: Strong oxidizing agents, nitrosating agents.  
CONDITIONS OF REACTIVITY: None known  
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide, carbon monoxide

**Zip-Chem Products**  
**Calla 804**  
**Material Safety Data Sheet**

**Section: 11 TOXICOLOGICAL PROPERTIES**

**ROUTES OF ABSORPTION**

Inhalation of high concentrations may cause respiratory irritation.

**WARNING STATEMENTS AND WARNING PROPERTIES:**

DO NOT TAKE INTERNALLY.

**SIGNS, SYMPTOMS AND EFFECTS OF EXPOSURE**

**INHALATION**

ACUTE: Irritation of nose and throat may occur from breathing high concentrations.

CHRONIC: Breathing extremely high concentrations of the vapors may lead to irritation of nose and throat.

**SKIN**

ACUTE: May cause irritation.

CHRONIC: Prolonged or repeated contact may cause dry skin.

**EYE**

May cause irritation.

**INGESTION**

ACUTE: May cause nausea or vomiting.

CHRONIC: If large quantities are swallowed, do not induce vomiting as it might cause aspiration of vomitus into the lungs. Drink lots of water and see physician.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** None known.

**INTERACTIONS WITH OTHER CHEMICALS THAT ENHANCE TOXICITY:** Do not use nitrosating agents with this product since nitrosamines may form. Some nitrosamines have been shown to be carcinogenic.

**ACUTE TARGET ORGAN TOXICITY:** No organs known to be damaged from exposure to this product.

**CHRONIC TARGET ORGAN TOXICITY:** There are no known effects from repeated exposure.

**REPRODUCTIVE AND DEVELOPMENTAL TOXICITY:** There are no known or reported effects on reproductive function or fetal development.

**CARCINOGENICITY:** NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

**MUTAGENICITY:** This product is not known to be mutagenic.

**EXPOSURE LIMITS:** Not Determined

**Section: 12 ECOLOGICAL INFORMATION**

**AQUATIC TOXICITY:** None known or reported.

**Section: 13 DISPOSAL CONSIDERATIONS**

Spilled material collected in absorbent material should be transferred to steel disposal or recovery drums.

If this product becomes a waste, it DOES NOT meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste under Subpart D.

If this product becomes a waste, it should be disposed of in accordance with local, state and federal regulations by incineration.

**Section: 14 TRANSPORT INFORMATION**

**DOT SHIPPING NAME:** DOT Non-Regulated (Soap)

**DOT HAZARD CLASS:** None

**DOT PACKING GROUP:** None

**DOT REPORTABLE QUANTITY:**

**Zip-Chem Products**  
**Calla 804**  
**Material Safety Data Sheet**

**Section: 15 REGULATORY INFORMATION**

**INTERNATIONAL**

All components of this product are listed on the following inventories: MITI (Japan) EINECS (EEC) DSL (Canada).

**FEDERAL**

**TOXIC SUBSTANCES CONTROL ACT (TSCA):**

The components of this product are listed on the TSCA inventory.

**SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT TITLE III (SARA):**

**Section 302/304**

Requires emergency planning based on 'Threshold Planning Quantities' (TPQs), and release reporting based on Reportable Quantities (RQs) of 'Extremely Hazardous Substances' (EHS) listed in Appendix A of 40 CFR 355. There are no components of this material with known CAS numbers that are on the EHS list.

**Section 311 & 312**

Based upon the available information, this material and/or components is classified as a health and/or physical hazards according to Section 311 & 312:

Descriptive Name	CAS Number	Percentage Range	Hazard Type per CFR 1910.1200	Exposure Limits	LD <sub>50</sub>	LC <sub>50</sub>	NTP, IARC, Or OSHA Carcinogen
Diethanolamine	111-42-2	0.70%	Hazardous: Corrosive	Not Given	3300 mg/kg	Not Determined	No
Propanol, (2-Methoxy-Methylethoxy)	34590-94-8	10%	Not Hazardous	OSHA PEL: 100 ppm ACGIH TLV: 100 ppm	5200 mg/kg	Not Determined	No

**Section 313**

This material does not contain chemicals with known CAS numbers subject to the reporting requirements of SARA Title III, Section 313 and 40 CFR 372:

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)**

This material does not contain chemical(s) with known CAS numbers classified as hazardous substances subject to the reporting requirements of CERCLA (40 CFR 302) and to the release reporting requirements of SARA (Section 302) based on reportable quantities (RQs):

**OSHA Regulations**

'Chemical-specific' U. S. Occupational Safety and Health Administration (OSHA) regulations (1910.1002 to 1910.1050) presented under 29 CFR 1910 do not apply to this material or its components.

**Other EPA Regulations**

No additional information available.

**Zip-Chem Products**  
**Calla 804**  
**Material Safety Data Sheet**

**State****California Safe Drinking Water and Toxic Enforcement Act of 1988- Proposition 65**

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels that would be subject to the proposition

**California South Coast Air Quality Management District (SCAQMD) Rule 443.1 (VOC's)**

A Volatile Organic Compound (VOC) is any volatile compound of carbon excluding methane, carbon monoxide, carbonic acid, metallic carbides or carbonates, ammonium carbonate, 1,1,1-trichloroethane, methylene chloride, FC-23, CFC-113, CFC-12, CFC-11, CFC-22, CFC-114, and CFC-115. By this definition, this is a VOC material.

**Massachusetts Right to Know Substance List (MSL) [105 CMR 670.000]**

Hazardous Substances (MSL-HS) on the MSL must be identified when present in materials at levels greater than state specified criterion. The criterion is:  $\geq 1\%$ . Components with CAS numbers present in this material at a level which could require reporting under the statute are:

<u>Chemical</u>	<u>CAS Number</u>
Diethanolamine	111-42-2

Extraordinarily Hazardous Substances (MSL-EHS) on the MSL must be identified when present in materials at levels greater than state specified criterion. The criterion is  $\geq 0.0001\%$ . There are no materials present that could require reporting under this statute.

**Pennsylvania Right to Know Hazardous Substance List**

Hazardous Substances (PA-HS) must be identified when present in materials at levels greater than the state specified criterion. The criterion is  $\geq 1\%$ . Components with CAS numbers present in this material at a level that could require reporting under the statute are:

<u>Chemical</u>	<u>CAS Number</u>
Diethanolamine	111-42-2

**Section: 16 PREPARATION INFORMATION**

REVISION INFORMATION:	New Product
PREPARED BY:	J Smith
APPROVAL DATE:	9/30/03
SUPERSEDES:	9/1/00

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Zip-Chem Products Company. The data in this sheet is related only to the specific material designated herein. Zip-Chem Products Company assumes no legal responsibility for use or reliance upon these data.