

Vac-Pak® HS8171PS

Adhesive tape

Ideally suited to masking applications

Features

- High temperature nylon tape with a pressure sensitive, rubber-base adhesive on one side.
- Designed to strip cleanly from the part during masking operations in high temperature/pressure applications.
- High elongation properties provide a high degree of conformability.
- Rubber based adhesive allows for use on parts where subsequent painting or bonding is necessary.
- High stretch and thinness offer excellent conformability and clean, sharp edges.

Properties

Maximum cure temperature	204°C	400°F
Colour	Green	
Adhesive	Rubber	
Carrier	Nylon	
Total thickness	88µm	0.0035in
Adhesive thickness	38µm	0.0015in
Tape thickness	50µm	0.002in
Elongation at break	500%	

Availability

Standard width	19.05, 25.4, 50.8 and 76.2mm	¾, 1, 2 and 3in
Standard length	65.8m	72yd

Storage

No special storage conditions.

Health & safety

Handling of these products must conform to individual company guidelines and health and safety regulations.

All statements, technical information and recommendations contained in this data sheet are given in good faith and are based on tests believed to be reliable, but their accuracy and completeness are not guaranteed. They do not constitute an offer to any person and shall not be deemed to form the basis of any subsequent contract. All products are sold subject to the Cytec's Standard Terms and conditions of Sale. Accordingly, the user shall determine the suitability of the products for their intended use prior to purchase and shall assume all risk and liability in connection therewith. It is the responsibility of those wishing to sell items made from or embodying the products to inform the user of the properties of the products and the purposes for which they may be suitable, together with all precautionary measures required in handling those products. The information contained herein is under constant review and liable to be modified from time to time.

© Copyright 2012 – Cytec Process Materials (Keighley) Ltd, Cytec Process Materials (CA) Inc, Cytec Process Materials (Toulouse) Sarl, Cytec Process Materials (Milan) Srl. All rights reserved worldwide. All trademarks or registered trademarks are the property of their respective owners.