

N1000

Flow media

Ideally suited to infusion applications

Features

- Open nylon 6 mesh suitable for resin infusion processing up to 204°C (400°F).
- The open mesh allows for easy flow of resin to ensure complete substrate saturation during the infusion process.
- Compatible with most commonly used infusion resins, with the exception of phenolic systems.
- The nylon 6 construction allows for easy removal when the infusion process is complete.

Properties

Maximum use temperature	204°C	400°F
Colour	Clear	
Fibre	Nylon	
Weight	82.87g/m ²	2.4oz/yd ²

Availability

Width	1.14m	1.2yd
Length	152m	500ft
Thickness (at the intersection)	0.508mm	0.02in
Roll weight	14.5kg	32lb

Storage

No special storage conditions required.

Health & safety

Handling of these products must conform to individual company guidelines and health and safety regulations.

All statements, technical information and recommendations contained in this data sheet are given in good faith and are based on tests believed to be reliable, but their accuracy and completeness are not guaranteed. They do not constitute an offer to any person and shall not be deemed to form the basis of any subsequent contract. All products are sold subject to the Cytec's Standard Terms and conditions of Sale. Accordingly, the user shall determine the suitability of the products for their intended use prior to purchase and shall assume all risk and liability in connection therewith. It is the responsibility of those wishing to sell items made from or embodying the products to inform the user of the properties of the products and the purposes for which they may be suitable, together with all precautionary measures required in handling those products. The information contained herein is under constant review and liable to be modified from time to time.

© Copyright 2012 – Cytec Process Materials (Keighley) Ltd, Cytec Process Materials (CA) Inc, Cytec Process Materials (Toulouse) Sarl, Cytec Process Materials (Milan) Srl. All rights reserved worldwide. All trademarks or registered trademarks are the property of their respective owners.